OfficeSource®
FURNITURE

OfficeSource®
FURNITURE

Model #: OSEC9901M
Name: Franklin Collection
Description: Mesh Swivel Chair

Assembly & Operating Instructions



Please read the instruction sheet(s) completely before assembly.

Maximum Weight Load: 275 LBS


OfficeSource®
FURNITURE

Assembly Notes

1. After opening the carton, please carefully check for missing parts and transportation damage and if needed, contact dealer immediately.
2. Once installed, the gas lift will be difficult to remove. It is not recommended to remove the gas lift to avoid damage to other parts of the chair.
3. Contact dealer if disassembly assistance is needed.

Usage Notes


1. Intended for use indoors.
2. Intended for single person use.
3. Do not sit on end of chair to avoid accidental tipping and injury.
4. Do not step or stand on the chair – chair is intended for sitting only.
5. Use caution when reclining, especially as tension is reduced by user.
6. Do not lean against product – chair is intended for sitting only.
7. Avoid contact with sharp objects, heavy tools and hot surfaces.
8. As assembly may loosen overtime, for best user safety, conduct regular check of nuts and bolts to insure they are always tight and secure.
9. To clean, wipe with a soft and dry cleaning cloth. If there are stains on fabric, use a mild detergent to wipe clean.





Position chair so your feet are flat on the floor, and lower legs are at a 90-degree angle (or better) relative to upper legs.

Distributed exclusively by COE Distributing!



A SEAT HEIGHT ADJUSTMENT

While seated, pull the lever on the right side of the seat out and hold while raising or lowering the seat to change the seat height. When the lever is released, the seat height is locked. The seat height adjustment range is approximately 3.9".



B BACKREST TILTING ADJUSTMENT

While seated, lean against the back to tilt the seat backwards. The range of motion is approximately 12.5°.

OfficeSource®
FURNITURE

Parts List


A.  Backrest+Armrest+Seat+Mechanism	B.  Seat Post (Cyliner)
C.  Star Base	D.  Casters

Hardware List

Distributed exclusively by COE Distributing!


Installation Steps

STEP 1



Press casters (D) into the holes at the end of each leg base (C).

STEP 2




Insert cylinder (B) into center hole of base (C) .

OfficeSource®
FURNITURE

Installation Steps

STEP 3



Locate center hole of mechanism and place seat (A)over the seat post (B). Push down firmly until the connection is secure.

STEP 4



Note: Please check all screws every six months to ensure they remain tightly fastened.

Distributed exclusively by COE Distributing!