

by Stevens Industries, Inc.

ATTENTION

Please unpack and assemble in an area away from children's activities. Remove all tools and excess materials from work area after assembly of unit is complete. Dispose of pallet and packaging materials in an environmentally friendly manner. If any parts are missing or damaged, please call

When ordering parts, give the Model Number and Color of the unit.



CAUTION - CHOKING HAZARD

Adult assembly required due to presence of small parts and sharp edges.

TM9372R TM9373R



TM9372R TM9373R Curved Table

TM9372R Parts List					
ITEM	QTY	DESCRIPTION	REPLACEMENT ITEM #		
1	1	TOP 72 KIDNEY	3111-0057		
2	4	Adj. Leg Upper Set of 4	0261-1469000000		
3	4	Adj. Leg Lower 13-22" Set of 4	0261-1470000820		
4	8	Table Leg Clip	0263-1510		
5	24	Screw PhFI #10 X 1.00	0563-0643 Bag of 25		
6	8	Lea Screw			

TM9373R Parts List					
ITEM	QTY	DESCRIPTION	REPLACEMENT ITEM #		
1	1	TOP 72 KIDNEY	3111-0057		
2	4	Adj. Leg Upper Set of 4	0261-1469000000		
3	4	Adj. Leg Lower 20-29" Set of 4	0261-1471000820		
4	8	Table Leg Clip	0263-1510		
5	24	Screw PhFI #10 X 1.00	0563-0643 Bag of 25		
6	8	Leg Screw			

2-PERSON ASSEMBLY RECOMMENDED.

IMPORTANT!


Be sure to keep all parts supported during assembly to avoid damage. Do not over-tighten screws or it will damage the pre-drilled holes; snug fit is adequate.

HARDWARE INCLUDED

(other hardware is pre-installed)



NOTE: Phillips screwdriver required but not included.



TM9372R - TM9373R




STEP-BY-STEP ASSEMBLY

2-PERSON ASSEMBLY RECOMMENDED.

IMPORTANT!


Be sure to keep all parts supported during assembly to avoid damage. Do not over-tighten screws or it will damage the pre-drilled holes; snug fit is adequate.

STEP 1 Lay **Table Top** (1) face down on floor. Note that there are two pre-mounted **Table Leg Clips** (4) for each leg. Each **Table Leg Clip** (4) has three pre-installed **Clip Screws** (5).




STEP 2

Each adjustable table leg is made up of an *Upper Leg (2)* and *Lower Leg (3)*. *Upper Leg (2)* has a mounting bracket that will be attached to a pair of *Table Leg Clips (4)* and the table top. The set screw is used to secure *Lower Leg (3)* at the desired height. *Lower Leg (3)* has a series of pre-drilled holes for height adjustment, as well as a leveler.



STEP 3 Slide mounting bracket on one *Upper Leg (2)* under lip of both *Table Leg Clips (4)*. The bracket should slide all the way in to the second step. If necessary, loosen the *Clip Screws (5)* to allow the mounting bracket to slide completely into place. When *Upper Leg (2)* is correctly positioned, the two holes in the mounting bracket will align with the pre-drilled holes in the table top, as shown.



second

step

leg mounting bracket

against second step

table leg clip and rests


slides under lip of

TM9372R - TM9373R


STEP-BY-STEP ASSEMBLY



STEP 4 Tighten the three *Clip Screws (5)* in each *Table Leg Clip (4)*. Secure mounting bracket to table top with two *Leg Screws (6)*.



STEP 5 Insert *Lower Leg (3)* into *Upper Leg (2)*. Position *Lower Leg (3)* at desired height, making sure appropriate pre-drilled hole is aligned with the set screw. Tighten set screw.



TM9372R:


LEG HEIGHTS range from 13" to 22" TABLE HEIGHTS range from 14" to 23"

TM9373R:

LEG HEIGHTS range from 20" to 29"
TABLE HEIGHTS range from 21" to 30"

STEP 6 Repeat **Steps 3-5** for remaining legs.

STEP 7 Carefully position table upright and adjust levelers as needed for stable positioning on floor.



This completes the assembly.

#0964-3184